# TILE DOCTOR - PRO CLEAN

**Page:** 1

Compilation date: 01/06/2015

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: TILE DOCTOR - PRO CLEAN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: A COMPLEX MIXTURE OF CLEANING & DISINFECTING CHEMICALS, SURFACTANTS

## 1.3. Details of the supplier of the safety data sheet

Company name: Tile Doctor

50f Market Street Carnforth

Lancashire

LA5 9LB

Tel: 0845 652 4652

Email: info@tiledoctor.co.uk

# 1.4. Emergency telephone number

# Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label	elements:
Labor	010111011101

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements:	P102: Keep out of reach of children.
	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

# TILE DOCTOR - PRO CLEAN

## 2.3. Other hazards

Other hazards: Harmful if swallowed. Irritating to eyes. Irritating to skin.

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

3.2. Mixtures

## Hazardous ingredients:

SODIUM HYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1-10%

# 2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319;	1-10%
			Skin Irrit. 2: H315	

# DISODIUM METASILICATE

229-912-9 6834-92-0 - Skin Corr. 1B: H314; STOT SE 3: H335 1-10%
--

# Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

**Ingestion:** Do not induce vomiting. Transfer to hospital as soon as possible. Wash out mouth with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

## Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

# TILE DOCTOR - PRO CLEAN

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Not applicable.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Hazardous ingredients:

## SODIUM HYDROXIDE

Workplace e	xposure limits:	Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

# TILE DOCTOR - PRO CLEAN

# Page: 4

2-BUTOXYETHANOL			
UK	25 ppm 50 ppm		
DNEL/PNEC Values			
DNEL / PNEC	No data available.		
8.2. Exposure controls			
Respiratory protection:	Respiratory protection not required.		
Hand protection:	Protective gloves.		
Eye protection:	Safety glasses. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.		
Section 9: Physical and che	nical properties		
9.1. Information on basic ph	sical and chemical properties		
State:	Liquid		
	Dark green		
	Characteristic odour		
Solubility in water:			
-	Non-viscous		
-	13-14		
9.2. Other information			
Other information:	No data available.		
Section 10: Stability and rea	stivity		
10.1. Reactivity			
<u>-</u>			
-	Stable under recommended transport or storage conditions.		
10.2. Chemical stability			
Chemical stability:	Stable under normal conditions.		
10.3. Possibility of hazardou	reactions		
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.		
	Decomposition may occur on exposure to conditions or materials listed below.		
10.4. Conditions to avoid			
Conditions to avoid:	Heat. Frost Avoid contact with strong oxidisers		
10.5. Incompatible materials			

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# TILE DOCTOR - PRO CLEAN

**Page:** 5

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

# Hazardous ingredients:

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

## 2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

# **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

# Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

## Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

### Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# TILE DOCTOR - PRO CLEAN

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

# **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

Transport class: This product does not require a classification for transport.

## Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

## Section 16: Other information

## Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H312: Harmful in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.